

B LD

By (1999)




Fig. 2 Functional connectivity maps for subject Adam (A) and subject B (B). The maps show regions of significant connectivity (green ellipses), regions of significant connectivity (blue ellipse), and regions of significant connectivity (red bar). Numbers 1–4 indicate the location of the regions.

Fig. 3 Functional connectivity maps for subject Adam (A) and subject B (B). The maps show regions of significant connectivity (red bar), regions of significant connectivity (green bar), and regions of significant connectivity (blue bar). Numbers 1–4 indicate the location of the regions.

Fig. 4 Functional connectivity maps for subject Adam (A) and subject B (B). The maps show regions of significant connectivity (red bar), regions of significant connectivity (green bar), and regions of significant connectivity (blue bar). Numbers 1–4 indicate the location of the regions.

Fig. 5 Functional connectivity maps for subject Adam (A) and subject B (B). The maps show regions of significant connectivity (red bar), regions of significant connectivity (green bar), and regions of significant connectivity (blue bar). Numbers 1–4 indicate the location of the regions.

W. J. ... (N. ...)
& M. (2003).
(E. A. ...)
C. ... M. FC,
M. FC
(2007).
M. FC.
A.

F a ç Pac c R ac

7()-469

- Fischer, G. (1860/1966). *Elemente der Psychophysik*. Breitkopf & Härtel, Leipzig (reprinted in 1964 by Bonset, Amsterdam); English translation by HE Adler (1966): *Elements of psychophysics*. New York: Holt, Rinehart & Winston.
- Glaser, T., & Haxby, J. V. (2007). A cortical network for object recognition. *NeuroImage*, 36, 256–267. doi:10.1016/j.neuroimage.2007.02.025.
- Haxby, J. V., & Neebun, G. (2008). Cortical network for object recognition: A hierarchical model. *Nature Reviews Neuroscience*, 9(8), 646–654.
- Jiang, J., L., Mucke, A. N., & DeYoe, J. (2005). Hierarchical processing of object categories in the human visual cortex. *NeuroImage*, 24, 771–779. doi:10.1016/j.neuroimage.2004.09.006.
- Jiang, J., A. C., Mucke, C. N., & Mucke, J. (2008). Hierarchical processing of object categories in the human visual cortex. *Proceedings of the National Academy of Sciences of the United States of America*, 105, 4507–4512. doi:10.1073/pnas.0708785105.
- Lewis, D., Gauthier, A., Tarr, P., & Bülthoff, H. H. (2001). The fusiform face area: A specialized region for object recognition. *Nature Neuroscience*, 4, 89–94. doi:10.1038/82947.
- Lewis, G., Gauthier, G., Tarr, P., & Bülthoff, H. H. (2005). The fusiform face area: A specialized region for object recognition. *Nature Neuroscience*, 8, 1386–1390. doi:10.1038/1538.
- Neebun, G. E., & Mucke, J. (2003). Cortical network for object recognition. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 11164–11170. doi:10.1073/pnas.1934527100.
- Neebun, G. E., L., F., J., & Haxby, J. V. (2007). Hierarchical processing of object categories in the human visual cortex. *NeuroImage*, 34, 1310–1317. doi:10.1016/j.neuroimage.2006.08.047.