

---


---


Stimuli and procedure:

(25.1 /  $\lambda^2$ ).  
(1).  
45° 135°  
120  
( $\lambda$ )  
0.45° (2.2, 4.2 $\lambda$ )  
0.36° (2.8)  
3.7 $\lambda$  70%  
(0.6° × 0.6°)  
0.6° (300)  
(45° 135°)  
300 600 200  
1000 1500 A<sub>3</sub> 48 48  
25%

Electrophysiological data recording and analysis:

( )  
10 20 A  
5  $\Omega$   
0.1 75 y (1/2), 250 y/  
y





## CONCLUSION

The diagram shows a series of points and lines, with a label 'A' and a checkmark symbol. It appears to be a continuation of the diagram on the left page, showing a specific configuration or result.

## REFERENCE

1. ( ). *F<sub>1</sub> F<sub>2</sub> ... G*, 2001, 145-182.
2. *Y, Y, Y*, 2001; 38:926-935.
3. *M*, 2005 ( ). *H, B*.
4. *N*, 1995; 15:843-856.
5. 1993; 33:993-999.
6. 2004; 44:1695-1673.
7. *L, B, B*, 1998; 353:1341-1351.
8. *N*, 2001; 4:1032-1036.
9. 2004; 33: 181-194.
10. *A*, *H, B*, *M*, 1995; 2:170-187.
11. *A, A, N*, 2002; 35:575-587.
12. *2/3*, *J, N*, 2003; 23:2947-2960.
13. *C, B*, 2004; 49: 819-823.

Acknowledgements: This work was supported by the National Natural Science Foundation of China (Project 30225026, 30328016, 307D(35tor)0 2h1E,u6,